



INDEX MAPS.

T.30N. R.10E. 2nd Mer.



T.31N. R.10E. 2nd Mer.



The figures on the lines refer to the page.

39

Township 1° 31' North of Range 1° 16' East 2nd Mer. Ind.

South Boundary

West On South Boundary of Sec 35. var. 5' 35' E.
 14. 00 Enter Miller swamp
 22. 00 Left same
 24. 31 A Hickory 17 in. diam.
 40. 00 Set a g. Sec. post from which
 a Blue Ash 8 in. diam. bears N 59 E 12 links dist &
 a B. Ash 8 " " " N 68 W 22 " "
 56. 24 A Hickory 16 " "
 80. 00 Set a Post cor. to Sec. 35 & 36 from which
 a B. Ash 11 in. diam. bears N 54 E 11 links dist &
 a S. Ash 14 " " " N 81 W 50 " "
 Land level 2nd rate. Timber Oak. Ash & Birch
 Underg^t Spice & Millen. Ironwood. &c.

West On South Boundary of Sec 35.
 12. 12 An S. Ash 12 in. diam.
 34. 26 A B. Ash 16 " "
 35. 00 Enter Miller swamp.
 40. 00 Set a g. Sec. post from which
 an Ash 10 in. diam. bears N 87 E 11 links dist &
 a S. Ash 8 " " " N 72 W 10 " "
 44. 00 Left the Swamp.
 58. 44 A W. Oak 24 in. diam.
 72. 68 A Dr 32 " "
 80. 00 Set a Post cor. to Sec. 34 & 35 from which
 a W. Oak 26 in. diam. bears N 54 E 11 links dist &
 a Poplar 6 " " " N 42 W 22 " "
 Land level 2nd rate. Timber Ash. Oak. & Birch.
 Underg^t Ironwood & Spice.

West On South Boundary of Sec 34
 6. 58 Enter Swamp Prairie
 21. 00 Left same
 28. 77 A W. Oak 24 in. diam.
 40. 00 Set a g. Sec. post from which

a B. Ash 11 in? diam? bears N. 81 E. 6 links dist &
 an Elm 15 " " " N. 64 W. 9 " "
 44.00 Entered Maple & Willow swamps
 55.48 In S. Ash 12 in? diam?
 59.00 Left the swamps.
 67.23 A B. Oak 24 in? diam?
 80.00 Set a post cor. to Sec? 33 & 34 from which
 a Maple 21 in? diam? bears N. 50 E. 27 links dist &
 a G. 5 " " " N. 74 W. 11 " "
 Land loc? 2nd rate. Timber Maple & S. Ash
 Undergth as before

West On South Boundary of Sec 33
 12.57 An Elm 12 in? diam?
 36.16 A B. Ash 40 " "
 40.00 Set a gr. Sec post from which
 a B. Ash 8 in? diam? bears N. 80 E. 37 links dist &
 an Elm 7 " " " N. 59 W. 7 " "
 59.65 A Buck 14 " "
 75.71 A G. 24 " "
 80.00 Set a post cor. to Sec? 32 & 33 from which
 a Buck 27 in? diam? bears N. 47 E. 20 links dist &
 a G. 10 " " " N. 32 W. 12 " "
 Land &c. as before.

West On South Boundary of Sec. 32
 11.10 A Buckeye 12 in? diam?
 40.00 Set a gr. Sec post from which
 a Hickory 22 in? diam? bears N. 83 E. 5 links dist &
 an Elm 4 " " " N. 6 W. 4 " "
 52.35 A Hickory 16 " "
 81.00 Set a post cor. to Sec? 31 & 32 from which
 a Hickory 14 in? diam? bears N. 49 E. 53 links dist &
 a G. 12 " " " N. 15 W. 37 " "
 Land loc? 2nd rate. Timber Buck. Ash & Oak
 Undergth Ironwood & Spruce.

T 31. S. R 10 E 2nd. Mer. Indiana.

41

West On South Boundary of Sec 31

19.70 A Hickory 19 in. diam.

40.00 Set a gr. Sec post from which
a Beech 10 in. diam. bears N 86° 38' links dist &
a Dogwood 5 " " " N 34° W. 23 " "

50.43 A Hickory 20 " "

59.10 A B. Ash 14 in. diam.

73.73 Intersect the North line 100 links South of Post.
Set a post cor. to Ranges 9 & 10 East. Towns 30 & 31
North. Secs. 1, 5, 31 & 36. from which
a Maple 5 in. diam. bears N 18° E 14 links dist &
a Willow 12 " " " N. 77° W. 32 " "

Land &c. same

Apr. 19th 1828

compd

East Boundary.

North On East Boundary of Sec 36 var. S. 25° E

35.03 An F. Ash 28 in. diam.

35.50 A Stream 15 links wide. Course S & E.

40.00 Set a gr. Sec post from which
a B. Ash 13 in. diam. bears S 14° W. 48 links dist &
an R. Oak 13 " " " N. 78° W. 7 " "

56.22 A B. Ash 15 " "

63.00 Enter Willow swamp

70.00 Left same

80.00 Set a post cor. to Secs. 25 & 36 from which
a W. Oak 21 in. diam. bears S. 25° W. 19 links dist &
a Hickory 14 " " " N. 15° W. 23 " "
Land level 2nd rate. Timber Ash. Oak, & Beech
Undergth Ironwood & Willow.

North On East Boundary of Sec 25

27.65 A Beech 14 in. diam.

40.00 Set a gr. Sec post from which
a W. Oak 13 in. diam. bears S. 30° W. 87 links dist &
a Elm 22 " " " N. 46° W. 41 " "

T 31 N. R 10 E 2nd Mer. Indiana.

40.50 Enter Maple Swamp
 50.67 A Maple 23 in. diam.
 58.00 Left the swamp
 71.45 A Beech 22 in. diam.
 80.00 Set a Post Cor. to Sec. 24 & 25 from which
 a Beech 16 in. diam. bears S 15 N. 47 links dist &
 a W. Oak 22 " " " N. 51 N. 43 " "
 Land level & note. Timber, Ash, Beech & Oak
 Underg. as before.

North On East Boundary of Sec 24
 25.65 An R. Oak 36 in. diam.
 38.00 Enter Prairie.
 40.00 Set a go Sec. post from which
 a Br Oak 23 in. diam. bears S 86 N. 31 links dist &
 a Do 14 " " " N. 41 N. 19 " "
 42.00 Left the Prairie
 49.65 A Hickory 12 in. diam.
 62.50 Enter Swamp Prairie
 80.00 Set a Post Cor. to Sec. 13 & 24 from which
 in Prairie & raised a Mound.
 Land & Timber as before except the Prairie

North On East Boundary of Sec 13
 20.50 Left the Prairie
 22.87 A Hickory 12 in. diam.
 40.00 Set a go Sec. post from which
 a Hickory 17 in. diam. bears S 22 N. 58 links dist &
 a Do 14 " " " N. 16 N. 45 " "
 57.00 Enter Prairie
 62.50 Left same
 76.79 A W. Oak 21 in. diam.
 80.00 Set a post cor. to Sec. 12 & 13 from which
 a Hickory 7 in. diam. bears S 29 N. 62 links dist &
 a Do 18 " " " N. 17 N. 34 " "
 Land level & note. Timber, Hickory & Oak. W. & same.

43

T. 31 N. R. 10 E. 2nd Mer. Indiana.

North On East Boundary of Sec 12
 14. 50 Enter S. prairie
 40. 00 Set a post from which. No Timber
 55. 50 Left S. Prairie
 55. 91 Intersect the Indian Boundary line and
 set a post from which
 a Hickory 15 in. diam. bears S. 53 W. 72 links dist. &
 a W. Oak 18 " " " N. 51 W. 73 " "
 From post on Old Indian Boundary
 56. 31 Run heretofore on the 5th. mile.
 52. 97 A W. Oak 20 in. diam.
 50 00 Set a Post Cor. to Sec. 1 & 12 from which
 a W. Oak 28 in. diam. bears N. 57 W. 56 links dist. &
 a Co. 32 " " " S. 42 W. 52 "
 Land desc. 2nd rate. Timber W. Oak, Spanish Oak,
 Hickory, Elm, Ash, Buckeye, Chumwood &c.
 Under 4" Hazle, Hickory, Ash, Sassafras, Briers &c.

South Commencing at the S.E. Cor. of Ranges 10 + 11 E.
 Towns. 31 & 32 North
 95 01 Intersect the Boundary line from the Intersec-
 tion to an ash right tree is to chains + 13 links
 to the mile post 33 chains + 41 links. and from
 the above intersection East 56 chains + 34 links
 to the Corner of Sec. 7 & 16. Range 11. Town 31
 On Boundary line. July 1st. 1829.
 Surveyed by
 - Blyden, Hittis & Brown.
 Dep. Surveyors

West Boundary var 6.° 30' E.

North On East Boundary of Sec 36. T. 31 N. R. 9 E.
 Began in a Mitten Swamp
 9. 00 Leave the swamp.
 17. 32 A B. Oak 30 in. diam.
 19. 50 Enter Mitten Swamp

29.50	Leave Willow Swamp
40.00	Set a gr. Sec post from which a W. Oak 16 in. diam. bears S 46 W 98 links dist & a Do 28 " " " N. 48 W. 79 " "
44.50	A Trail. Course N. E.
48.00	Another " N. E.
53.86	An Elm 26 in. diam?
80.00	Set a post cor. to the? 23 & 36 from which an Ironwood 7 in. diam. bears S 20 W. 46 links dist & a W. Oak 26 " " " N. 44 W. 15 " " Land gently rolling South & poor North & 1 st rate Timber Oak. Ash. Elm & Underg th Ironwood Maple &c.
<hr/>	
North	On East Boundary of Sec 25. T 31 N R 9 E.
9.00	Enter Willow Swamp.
27.50	Leave the same
38.15	A W. Oak 10 in. diam?
30.00	Enter Maple swamp
40.00	Set a gr. Sec post in swamp. from which a Maple 6 in. diam. bears S 40 W. 33 links dist & a Do 7 " " " N. 74 W. 29 " "
42.00	Leave the Maple swamp
52.45	A W. Oak 16 in. diam?
61.38	A W. Ash 28 " "
80.00	Set a Post cor. to the? 24 & 25 from which a W. Oak 20 in. diam. bears S 54 W. 12 links dist & a Do 38 " " " N. 19 W. 46 " " Land level. South & poor. Timber. Maple. Elm. and Willow North & 1 st rate. Timber Oak. & Hick ^{ry} Underg th Oak. Hazle & Ironwood
<hr/>	
North	On East Boundary of Sec 24. T 31 N R 9 E.
32.07	Intersect the S E line of Suck's Reserve 1 mile 73 chains and 75 links from the NW cor. of said Reserve. Set a post from which an

- Aspen 7 in? diam? bears S 20 W 2.79 links dist & a
 W. Oak 8 " " " S. 79 1/2 E. 1.45 " "
39. 50 A Trail. Course N. W.
40. 00 Set a post from which
 a W. Oak 28 in? diam? bears S. 32 W. 17 links dist &
 a Do 14 " " " N. 17 W. 92 " "
42. 00 Opposite Old Indian Wignam, about 2 chains to the
 West of line In Reserve
52. 00 A Brook 6 links wide. Course West
63. 50 A W. Oak 24 in? diam?
80. 00 Set a post cor. to Sec? 13 & 24 from which
 a W. Oak 30 in? diam? bears S. 27 W. 166 links dist &
 a Do 26 " " " N. 53 1/2 W. 115 " "
- Land gently rolling & note thinly timbered with
 Oak, Underg? Maple & Aspen

- North On East Boundary of Sec 13 T. 31 N. R. 9 E.
25. 00 A Trail. Course S. W.
40. 00 Set a post from which
 a W. Oak 18 in? diam? bears N. 19 1/2 W. 72 links dist &
 a Do 10 " " " S. 50 W. 165 " "
49. 00 Enter Indian Improvements
50. 00 A Trail. Course E + West
- An Indian Wignam 9 or 10 chs. to the East of line
59. 00 Rare Indian improvements
65. 97 A Hickory 30 in? diam?
78. 00 To Owl River 75 links wide. Course N. W.
80. 00 Set a Post Cor. to Sec? 12 & 13 from which
 an Ash 7 in? diam? bears N. 25 W. 18 links dist &
 a Do 6 " " " S. 40 W. 12 " "
- Land rolling & note. Thinly timbered with
 Oak Ash. Elm, Ironwood &c. Underg? Plum
 an Hazel.

- North On East Boundary of Sec 12. T. 31 N. R. 9 E.
16. 20 A W. Oak 20 in? diam?

T 31 N. R. R 10 E. 2nd Mer. Indiana

- 10.00 Set a gp. Sec post from which
a Y. Oak 4 in. diam. bears S. 19 W. 59 links dist &
a Do 5 " " " " S. 43 W. 9 " "
- 48.50 Enter Mt Prairie
- 62.50 Leave same.
- 62.50 A W. Oak 12 in. diam.
- 71.80 Intersect the N. W. line of Shick's Reserve 2 miles
65 chains & 80 links from the most N. W. corner
corner of said Reserve. Set post from which
a W. Oak 20 in. diam. bears S. 71 W. 85 links dist &
a Do 12 " " " " S. 77 E. 59 " "
- 80.00 Set a Post Cor. to Sec. 1 & 12 from which
a W. Oak 22 in. diam. bears S. 48 W. 34 links dist &
a Do 12 " " " " S. 89 W. 32 " "
Land rolling & moderate. Timber. Oak & Hickory.

- North On East Boundary of Sec. 1. T 31 N. R. 9 E.
20.58 A W. Oak 12 in. diam.
- 32.00 Enter Marsh.
- 37.00 Leave same
- 40.00 Set a gp. Sec post from which
a W. Oak 7 in. diam. bears S. 25 W. 27 links dist &
a Do 10 " " " " S. 78 W. 48 " "
- 51.98 A Hickory 8 " "
- 71.19 A W. Oak 18 " "
- 80.00 Temp. N. Town Corner.
Land the much as before
Oct 31st 1833 Surveyed by
Ephraim Sibley
Cp. Sur.

Subdivisions

- North Between Sec. 35 & 36
13:30 A Beech 15 in. diam.
- 40.00 Set a gp. Sec post from which
a Hickory 16 in. diam. bears N. 24 W. 32 links dist

47

T. 31 N. R. 10 E 2nd Mer. Indiana.

15. 80 a W. Oak 24 in. diam. bears S. 57 E. 12 links dist.
 30. 00 a W. Oak 40 " " "
 50. 00 Set a post corner to Sec. 25 26 33 & 36 from which
 a Dogwood 11 in. diam. bears N. 64 E. 13 links dist &
 a Beech 11 " " " S. 57 W. 52 " "
 Level from land inclining to wet Timber. Beech
 Oak & Hickory - Elm. Maple &c. Under 1/2 Dogwood.
 Beech. Elm. Hickory. Greenwood. &c.

Cont

East On Random between Sec. 25 & 36
 70. 00 A Brook 15 links wide. Course South.
 81. 00 Intersect the East Boundary 55 links North of Post.
 Land level. & inclining to wet heavy timber &c

West Corrected between Sec. 25 & 36
 21. 02 An Ash 18 in. diam.
 40. 50 Set a p. Sec post from which
 a Hickory 20 in. diam. bears N. 80 W. 35 links dist &
 a Beech 18 " " " S. 69 E. 35 " "
 61. 25 An Ash 11 " "
 81. 00 To Sec Corner.

North Between Sec. 25 & 26
 16. 70 An Ash 20 in. diam.
 40. 00 Set a p. Sec post from which
 a Beech 18 in. diam. bears S. 58 W. 14 links dist and
 a D. 20 " " " N. 16 E. 26 " "
 58. 00 A Beech 20 in. diam.
 67. 50 A Brook runs N. W. which spreads into a
 swamp. and is for some distance lost in wet
 Prairie
 80. 00 Set a post Cor. to Sec. 23. 24. 25 & 26 from which
 an Ash 14 in. diam. bears S. 72 E. 10 links dist &
 an Aspen 10 " " " N. 72 W. 12 " "
 Land inclining to wet Timber as last described.

No

T 31 S. R 10 E Ind. Mer. Indiana

East	Between Sec. 24 & 25
10.00	Enter Miller Swamp
40.00	Set a Verm. gr. Sec. post
57.00	Left the swamp
81.25	Intersect the East Boundary 174 links S. of Post. Land not described.

West	Corrected between Sec. 24 & 25
40.62 1/2	Set a gr. Sec. post at aver. dist. from which an Aspin 10 in. diam. bears S. 58 E. 2.62 links dist. & a W. Oak 20 " " " N. 11 E. 2.25 " "
81.25	To Sec. corner

North	Between Sec. 23 & 24
25.79	a W. Oak 20 in. diam.
40.00	Set a gr. Sec. post from which a B. Oak 20 in. diam. bears N. 85 W. 2.25 links dist. & an Aspin 12 " " " S. 70 E. 54 " "
42.00	Enter Mt. Prairie
54.00	Left Do. Do.
63.54	A Buck 23 in. diam.
80.00	Set a post Cor. to Sec. 13. 14. 23 & 24 from which an Ironwood 12 in. diam. bears S. 11 E. 16 links dist. & a Spruce 15 " " " N. 48 E. 20 " " Land 2 ^d rate. Timber. Buck. Oak. Ash. &c.

East	On Random between Sec. 13 & 24
45.00	Enter Mt. skirt of Prairie
62.00	Left Prairie
74.00	Enter Prairie
81.45	Intersect the East Boundary 53 links South of a Mound in Prairie. Rolling Oak land poor

West	Corrected between Sec. 13 & 24
40.72 1/2	Set a gr. Sec. post at aver. dist. from which

T. 31 N. R. 10 E. Ind. Mer. Indiana.

		a B. Oak 25 in. diam. bears S. 25 W. 9 links dist. &
		a W. Oak 20 " " " N. 24 E. 31 " "
62 15		A Buck 24 " "
81 45		To Sec. corner. May 11 th 1834
<hr/>		
North	Between Sec. 13 & 14	
17 30		A Buckeye 12 in. diam.
40 00		Set a q. Sec. post from which
		a B. Oak 20 in. diam. bears S. 17 E. 54 links dist. &
		a Hickory 15 " " " North 5.55 " "
		This post in wet. one m. p. & Prairie.
65 52		A B. Oak 35 in. diam.
80 00		Set a Post Cor. to Sec. 11 12. 13 & 14 from which
		a W. Oak 24 in. diam. bears S. 37 W. 21 links dist. &
		a Q. 20 " " " N. 53 E. 57 " "
		Land not described
<hr/>		
East	Between Sec. 12 & 13 on Random.	
40 00		Set a Tump ^y q. Sec. post
80 50		Intersect the N & S line or East boundary
		1.70 links North of the Post.
		Oak & Hickory Barrens Poor. no Underg ^t .
<hr/>		
West	Corrected between Sec. 12 & 13	
20 70		A Hickory 12 in. diam.
40 25		Set a q. Sec. post at aver. dist. from which
		a Hickory 22 in. diam. bears S. 34 E. 37 links dist. &
		a W. Oak 24 " " " N. 48 W. 9 " "
60 10		A W. Oak 24 " "
80 50		To Sec. corner.
<hr/>		
North	Between Sec. 11 & 12	
18 00		To Fort Wayne's Trace from Logansport
40 00		Set a q. Sec. post from which
		a W. Oak 18 in. diam. bears S. 71 E. 33 links dist. &
		a Q. 50 " " " S. 13 W. 83 " "

T 31 N. R. 10 E Ind. Mer. Indiana.

75.00	To Eel River. 50 links wide. Course S. W.
80.00	Set a post. Cor. to Sec. 1. 2. 11 & 12 from which an Ash 15 in. diam. bears N. 85 E. 13 links dist. & a Do 12 " " " N. 86 W. 4 " "
	Barrens & wet Prairie
East	On Random between Sec. 1 & 12
9.00	To Eel River 50 links wide. Course S. W.
40.00	Set a stump 40 yds. S. E. post.
79.90	Intersect the East Boundary 100 links South of the Post. Poor Oak Barrens. no Undergr. East 1/2 mile good.
West	Corrected between Sec. 1 & 12.
19.90	A Hickory 15 in. diam.
39.90	Set a post S. E. post at aver. dist. from which a Hickory 6 in. diam. bears S. 5 E. 12 links dist. & a W. Oak 22 " " " N. 15 E. 100 " "
79.90	To Sec. Corner. May 15 th 1834
North	Between Sec. 1 & 2
24.23	An H. Oak 28 in. diam.
40.00	Set a post S. E. post from which an Ash 16 in. diam. bears S. 31 E. 39 links dist. & a Buck 24 " " " N. 53 W. 32 " "
58.20	A Do 30 " "
91.20	Intersect the line of Correction. 75 links West of a post. Corner where set a Post Cor. to Sec. 1 & 2 from which a Buck 16 in. diam. bears S. 32 E. 14 links dist. & a Do 13 " " " S. 10 W. 14 " "
	Land rolling & good. Timber. Buck Hickory Ash & Oak. Sugar. &c.
West	Between Sec. 2 & 11

15. 60 Touched the Right Bank of Ed River
 39. 60 Intersect the East Boundary of C Reserve
 14. 26 from the South East cor. where set a Post Cor.
 to Sec 2 111 from which
 a W. Oak 24 in. diam. bears S. 25 E. 390 links dist. &
 a Cr 15 " " " N. 1 W. 352 " "
 Land not described

North Between Sec. 34 + 35
 19. 10 A W. Oak 22 in. diam.
 40. 00 Set a gr. Sec post from which
 an Elm 12 in. diam. bears S 80 W. 9 links dist. &
 a Cr 10 " " " N. 57 E. 7 " "
 54. 70 An R. Oak 30 in. diam.
 60. 00 Set a Post Cor. to Sec. 26. 27. 34 + 35 from which
 a Buckeye 14 in. diam. bears S. 41 W. 5 links dist. &
 a Hickory 10 " " " N. 41 E. 5 " "
 2nd rate Buck land

East On Random between Sec. 26 + 35
 40. 00 Set a Temp. 4. 2 gr. Sec post.
 80. 40 Intersect the N + S line 78 links South of the Post.
 Land to same as last mile

West Connected between Sec. 26 + 35
 20. 60 An Ash 12 in. diam.
 40. 20 Set a gr. Sec post at over. dist. from which
 an Ironwood 10 in. diam. bears N. 69 E. 33 links dist. &
 a W. Oak 50 " " " S. 30 E. 11 " "
 60. 60 A Hickory 14 " "
 80 40 To Sec. Corner

North Between Sec. 26 + 27
 13. 32 A Hickory 14 in. diam.
 40. 00 Set a gr. Sec post from which
 an Ash 12 in. diam. bears S. 6 W. 27 links dist. &

T 31 N. R. 10 E 2nd Mer. Indiana

a Birch 24 in. diam. bears N 88 E 19 links dist
 52.00 A Birch 20 " "
 71.50 Enter Wet Prairie
 77.00 Left same
 80.00 Set a Post cor. to Sec. 22, 23, 26 & 27 from which
 an Elm 30 in. diam. bears N. 36 W. 28 links dist. &
 an Ash 10 " " " S. 21 E. 27 " "
 Land 2nd rate.

East. On Random between Sec. 23 & 26
 1.00 Enter Wet Prairie
 22.00 Left same
 40.00 Set a Temp. & q. Sec. post
 55.00 Enter Willow swamp
 80.00 Intersect the N & S line 40 links North of Post
 in the Margin of swamp.
 Land swampy in toto

West. Connected between Sec. 23 & 26
 40.30 Set a q. Sec. post at arer. dist. from which
 an ash 15 in. diam. bears N. 70 E. 16 links dist. &
 an Elm 24 " " " N. 16 W. 5 " "

North Between Sec. 22 & 23
 13.45 A Hickory 12 in. diam.
 40.00 Set a q. Sec. post from which
 a Birch 25 in. diam. bears N. 4 E. 18 links dist. &
 a Lyrus 15 " " " S. 86 E. 14 " "
 51.50 A Poplar 30 " "
 54.50 Enter Wet Prairie
 57.00 Left same
 80.00 Set a Post cor. to Sec. 14, 15, 22, & 23 from which
 an Elm 16 in. diam. bears S. 69 E. 9 links dist. &
 a B. Walnut 16 in. " " " N. 61 W. 46 " "
 Land not described

East	On Random between Sec? 23 & 14
80 75	Intersected N & S line at Post Land low. West 1/2 mile 2nd rate, East 1/2 poor. Timber. Beech. Oak. Hickory, Ash Elm. Ironwood. Dogwood, Hickory &c. May 13 th 1834
West	Corrected between Sec? 23 & 14
22. 67	An Ash 7 in. diam.
40 37	Set a gr. Sec. post at aver dist from which a Beech 20 in. diam. bears S 46 W. 11 links dist. & an Ash 18 " " " N 84 E 18 " "
80 75	To Sec. Corner
North	Between Sec? 14 & 15
19. 80	A W. Oak 30 in. diam.
40. 00	Set a gr. Sec post from which a W. Oak 18 in. diam. bears N 45 E 18 links dist. & a Do 20 " " " N 56 W. 21 " "
56. 08	An R. Oak 12 " "
80. 00	Set a Post Cor. to Sec? 10 11 14 15 from which an Elm 15 in. diam. bears S 55 E 6 links dist. & a Do 13 " " " N 15 W. 10 " "
	Land poor Oak Barrens interspersed with small wet skirts of Prairie.
East	On Random between Sec? 11 & 14
29. 00	Enter Wet Prairie
40. 00	Set a Temp'r gr. Sec post.
58. 00	A Grove of Timber 3.50 feet wide.
78. 00	Left the Prairie
80 90	Intersect the N & S line 35 links North of Post. Land not described
West	Corrected between Sec? 11 & 14
20. 90	A W. Oak 28 in. diam.

40 45 Set a g. Sec post at aver. dist. from which
 an Aspin 10 in. diam. bears S 15 W 60 links dist. &
 a Do 9 " " " S 10 W 38 " "
 80 90 To Sec. Corner.

North Between Sec. 10 & 11
 23, 80 A W. Oak 32 in. diam.
 40, 00 Set a g. Sec post from which
 an Aspin 6 in. diam. bears N 84 E, 24 lks dist. &
 a W. Oak 18 " " " S. 11 E, 31 " "
 50 00 Intersect the South line of Chapines Reserve
 where set a post cor. to Sec. 10 & 11 from which
 a B. Oak 10 in. diam. bears N 85 E, 56 links dist.
 a Do 9 " " " S. 46 E, 1.46 " "
 Oak Barrens

West Between Sec. 10 & 15
 9. 68 Intersect East line of Reserve 15. 67 from the
 South East cor. where set post Cor. to Sec. 10 & 15
 from which a
 Willow 12 in. diam. bears West 41 links dist. &
 a Do 15 " " " S. 55 W, 54 " "
 Land not described

North Between Sec. 33 & 34
 22. 40 A Hickory 24 in. diam.
 40, 00 Set a g. Sec post from which
 a Beech 20 in. diam. bears S. 10 W, 27 lks. dist. &
 an Ironwood 8 in. " " N. 1 E, 17 " "
 49. 40 A W. Oak 26 " "
 80, 00 Set a Post cor. to Sec. 27, 28, 33 & 34 from which
 a Beech 15 in. diam. bears N. 5 W, 6 links dist. &
 a Water Beech 6 " " " S. 19 E, 12 " "
 Land flat South 1/2 mile inclining to West
 North 1/2 rolling. Timber. Beech Oak. Walnut &
 Underg. Buckeye Hickory &c.

East On Random between Sec. 27 & 34
 80. 40 Intersect the S & S line at 31 links North of Post.
 Land rolling 2nd rate, Timber. Ash. Beech
 Walnut Oak &c.

West Connected between Sec. 27 & 34
 20. 55 An R. Oak 30 in. diam.
 40. 20 Set a gr. Sec. post at aver. dist. from which
 a Buckeye 10 in. diam. bears N 5 E 21 links dist, &
 an ash 24 " " " S 23 E 20 " "
 60. 67 An R. Oak 18 in. diam.
 80. 40 To the Corner

North Between Sec. 27 & 28
 12. 40 An Ash 12 in. diam.
 40. 00 Set a gr. Sec. post from which
 an ash 8 in. diam. bears S 69 W 24 links dist, &
 a Willow 5 " " " N 59 E 4 " "
 50. 50 A Poplar 12 " "
 80. 00 Set a Post cor. to Sec. 21 & 22 27 & 28 from which
 a Maple 12 in. diam. bears N 1 W 8 links dist &
 an Elm 14 " " " S 1 E 10 " "
 Land South $\frac{1}{2}$ mile 2nd rate; North $\frac{1}{2}$ poor

East On Random between Sec. 22 & 27
 40. 00 Set a Impr. gr. Sec. post.
 80. 53 Intersect the N & S line 8 links South of Post.
 Land West $\frac{1}{2}$ rolling 2nd rate. East $\frac{1}{2}$ mile
 along the North Margin of Wet Prairie or
 Swamp.

West Connected between Sec. 22 & 27
 21. 43 A W. Oak 28 in. diam.
 40. 26 Set a gr. Sec. post at aver. dist. from which
 an Ironwood 10 in. diam. bears S 41 E 32 links dist, &
 a Beech 30 " " " N 38 W 25 " "

50.83 An Ironwood 8 in. diam.
 50.53 To Sec. Corner

North Between Sec. 21 & 22

13.90 A W. Oak 30 in. diam.

46.00 Set a gr. sec post from which
 a Hickory 20 in. diam. bears S. 4 W. 31 links dist. &
 a Do 12 " " " S. 78 E. 21 " "

53.40 An Ash 12 " "

80.00 Set a Post cor. to Sec. 15 16. 21 & 22 from which
 a W. Oak 17 in. diam. bears S. 12 E. 46 links dist. &
 a Do 21 " " " N. 26 W. 42 " "
 Land poor. Timber Oak. & Hickory

East On Random between Sec. 15 & 22

9.75 Enter Wet Prairie

38.75 Left same

40.00 Set a Temp. gr. Sec post.

79.75 Intersect the N & S line 42 links North of Post.
 The Prairie is quite wet except a small part
 near the middle. The upland is poor. Timber
 Oak & Hickory.

West Connected between Sec. 15 & 22

14.00 A Hickory 30 in. diam.

39.87 1/2 Set a gr. the post at aver. dist. from which
 a Hickory 15 in. diam. bears S. 32 W. 6 links dist. &
 a Do 12 " " " N. 18 E. 54 " "

79.75 To Sec. Corner.

North Between Sec. 15 & 16

22.45 A W. Oak 48 in. diam.

37.47 Intersect line of Reserve. where set a Post Cor
 to Sec. 15 & 16 from which
 a B. Oak 19 in. diam. bears S. 75 E. 44 links dist. &
 a Do 20 " " " S. 10 W. 58 " "

Land poor. Timber Oak

North Between Secs 32 & 33
 32.80 A W. Oak 24 in. diam.
 40.00 Set a q. Sec. post from which
 a Gyn 22 in. diam. bears S 4 E 17 links dist, &
 an Re. Oak 28 " " " S 21 W 35 " "
 55.00 a Hickory 20 " "
 80.00 Set a Post cor. to Secs 28, 29, 32 & 33 from which
 a Beech 18 in. diam. bears S 39 E 12 links dist, &
 a Do 15 " " " S 34 W 38 " "
 Poor Oak & Beech Land

East Between Secs 28 & 33
 40.00 Set a Temp^y q. Sec. post
 79.95 Intersect the N & S line 47 links North of Post.
 Land selling & 2nd rate. Heavy timber. Beech
 Ash. Oak & Sugar. Hickory, Elm. Dogwood.
 Ironwood. Spice.
 May 14th 1834

West Corrected between Secs 28 & 33
 17.00 A W. Oak 50 in. diam.
 39.97 Set a q. Sec. post at aver. dist. from which
 a W. Oak 14 in. diam. bears S 5 W 19 links dist, &
 a Sugar 20 " " " S 4 E 31 " "
 50.73 An Ash 18 " "
 79.95 To Sec Corner

North Between Secs 28 & 29
 28.35 A Poplar 28 in. diam.
 40.00 Set a q. Sec. post from which
 a Poplar 16 in. diam. bears N 18 W 10 links dist, &
 a W. Oak 30 " " " S 13 W 30 " "
 50.74 A Poplar 20 " "
 80.00 Set a Post Cor. to Secs 20, 21, 28 & 29 from which

T 31 N. R. 10 E 2nd Mer. Indiana.

a Lynn 28 in. diam. bears N 31 E 10 links dist, &
a Beech 16 " " " S. 27 E. 47 " "

Land 2nd rate timber as before described.

On the North $\frac{1}{2}$ mile there are some swamps
and one Slough which will probably collect
soon into a considerable Brook.

East On Random between Sec. 21 + 28
79.88 Intersect the N 4 S line 78 links North of Post.
Land level & poor inclining to wet. in part.
Timber. Oak. Hickory Ash. Elm. Maple.
Underg^d Iron wood Elm. Water Beech. Hazel
Dogwood &c.

West Corrected between Sec. 21 + 28
20.54 A W. Oak 23 in. diam.
39.94 Set a gn. Sec. post at a cor. dist. from which
a W. Oak 20 in. diam. bears N. 32 E 6 links dist, &
a B. Oak 11 " " " S. 76 W. 28 " "
59.50 A B. Ash 14 " "
79.88 to Sec. corner

North Between Sec. 20 + 21
10.27 A B. Oak 60 in. diam.
40.00 Set a gn. the post from which
a W. Oak 22 in. diam. bears North 13 links dist, &
a Do 36 " " " S. 38 W. 47 " "
55.62 An Elm 15 " "
56.80 Enter Wet Prairie
80.00 Set a Post Cor. to Sec. 16. 17 20 + 21 from which
a W. Oak 20 in. diam. bears North 6.86 links dist, &
a B. Oak 10 " " " N 25 E 6.10 " "
This post in North Margin of Prairie.
The prairie is of the worst quality & the surrou-
nding land still worse.

May 14th 1834

T 31 R. 10. E 2nd Mer. Indiana

East	On Random between Sec. 16 & 21
12. 00	Left the Prairie
79. 73	Intersect the N & S line 54 links North of Post. Land level 2nd rate. Timber. Beech. Sugar. Hickory. Oak. Elm. &c.
West	Connected between Sec. 16 & 21
19. 73	A Buckeye 10 in. diam.
39. 86 1/2	Set a gp. Sec post at aver. dist. from which a Beech 30 in. diam. bears S. 31° N. 14 links dist. & a Buckeye 6 " " " N. 36° W. 26 " "
48. 73	An Elm 23 " "
79. 73	To Sec. Corner.
North	Between Sec. 16 & 17
6. 00	Left the Prairie
8. 37	Intersect the line of Reserve where set a Post Cor. to Sec. 16 & 17 from which a W. Oak 30 in. diam. bears S. 22° W. 14 links dist. & a Co 15 " " " S. 67° E. 43 " " Land not described.
West	Between Sec. 17 & 20
23. 77	Intersect the line of Reserve in Prairie where made Cor. to Sec. 17 & 20 from which a W. Oak 20 in. diam. bears S. 84° E. 10. 1/2 links dist.
North	Between Sec. 31 & 32
12. 50	A Beech 14 in. diam.
40. 00	Set a gp. Sec post from which a Hickory 14 in. diam. bears N. 42° E. 43 links dist. & a Beech 22 " " " S. 30° W. 9 " "
55. 90	An Elm 10 " "
58. 50	Enter swamp close Willow (In swamp)
80. 00	Set a Post cor. to Sec. 29. 30. 31 & 32 from which an Elm 10 in. diam. bears S. 82° W. 8 links dist. &

T. 31 N. R. 10. E. 2nd Mer. Indiana.

an Elm 12 in. diam. bears N. 83 E. 11 links dist.
Land not described

East On Random between Sec. 29 & 32
4. 50 Left the swamp
10. 00 Set a Temp. & q. Sec. post
80 75 Intersect the N & S line 44 links North of Post.
Land level; Timber. Beech. Ash. Oak. Sugar.
Hemlock. Hickory. &c.

West Corrected between Sec. 29 & 32
Left the swamp
20. 30 A Beech 20 in. diam.
40 37 1/2 Set a q. Sec. post at aver. dist. from which
a Beech 22 in. diam. bears N. 85 W. 26 links dist. &
a Po 12 " " " S. 44 E. 13 " "
60. 05 A W. Oak 30 " "
80 75 To Sec. corner

West On Random between Sec. 30 & 31
4. 50 Left the swamp
74. 50 Intersect the West Boundary 28 links North of
old Corner.
Land poor. Timber. Oak & Hickory. Undergrowth.
Sapras. Hemlock Hickory & Birch. Part
Barrens

East Corrected between Sec. 30 & 31.
At the Cor. on West Boundary. Set a Post cor. to
Sec. 30 & 31 from which
a W. Oak 26 in. diam. bears N. 46 E. 34 links dist. &
a Po. 22 " " " S. 57 E. 33 " "
15. 40 A W. Oak 20 " "
34. 50 Set a q. Sec. post on true line, from which
a W. Oak 28 in. diam. bears N. 10 E. 39 links dist. &
a Po. 26 " " " S. 58 E. 37 " "

54. 50 A Beech 14 in. diam.
74. 50 To Sec. Corner.

North Between Sec. 29 & 30

5. 00 Left the Swamp

28. 20 A W. Oak 28 in. diam.

40. 00 Set a q. Sec. post, from which
a W. Oak 30 in. diam. bears East 12 links dist. &
a Po 14 " " " S. 61 W. 35 " "

58. 70 An Aspin 13 " "

80. 00 Set a Post cor. to Sec. 19, 20, 29 & 30 from which
an Ash 11 in. diam. bears S. 77 W. 16 links dist. &
a Po 12 " " " N. 73 E. 31 " "

Land & Timber as last mile

East On Random between Sec. 20 & 29

40. 00 Set a Temp. q. Sec. Post

80. 20 Intersect the N. & S. line 62 links North of Post.
Land poor. Timber. Oak. Hickory. Beech.
Chenoweth. & Under 19th. Hazle. " Elm.

West Corrected between Sec. 20 & 29

21. 40 A Hickory 12 in. diam.

40 10 Set a q. Sec. post at over. dist. from which
a W. Oak 28 in. diam. bears N. 43 E. 31 links dist. &
a Hickory 8 " " " S. 45 E. 22 " "

60. 98 A W. Oak 28 " "

80. 20 To Sec. Corner.

West On Random between Sec. 19 & 30

75 80 Intersect the West Boundary 27 links North of Post.
Land & Timber as before

East Corrected between Sec. 19 & 30

At the Corner or West Boundary Set a Post Cor.
to Sec. 19 & 30 from which

X

T. 31 N. R. 10 E. Ind. Mer. Indiana

a Hickory 14 in. diam. bears S. 74 E. 9 links dist. &
 a Do 10 " " " " S. 55 E. 28 " "
 15.80 A W. Oak 30 " "
 35.80 Set a gp. the post from which
 a W. Oak 20 in. diam. bears N. 12 W. 20 links dist. &
 a Hickory 16 " " " " N. 87 W. 12 " "
 33.90 a Do. 24 " "

North Between Sec. 19 & 20
 26.87 An R. Oak 28 in. diam.
 40.00 Set a gp. the post, from which
 an Ash 30 in. diam. bears N. 40 W. 10 links dist. &
 a W. Oak 22 " " " " S. 13 W. 47 " "
 34.50 Intersect the line of Reserve in swamp Prairie
 where set a post cor. to Sec. 19 & 20 from which
 a W. Oak 30 in. diam. bears S. 48 W. 380 links dist. &
 a Do 26 " " " " S. 54 E. 385 " "
 Land from Timber Oak Hickory & Birch.

West From the ~~line of correction~~ corner of Sec. 1 & 2
 On the line of correction. measured West.
 80.00 On said line made cor. to Sec. 2 & 3 from which
 an Ash 50 in. diam. bears S. 82 W. 117 links dist. &
 a Walnut 50 " " " " S. 75 E. 11 " "
 This corner is 1.50 links West of gp. Sec. corner.

South From the cor. of Sec. 2 & 3 on the North Boundary
 Between Sec. 2 & 3
 14.50 A W. Oak 36 in. diam. ---
 35.27 Intersect the North Boundary of Chapines
 Reserve 23.30 from the N.E. corner of same
 where set a post cor. to Sec. 2 & 3 from which
 a Hickory 10 in. diam. bears S. 55 E. 19 links dist. &
 a W. Oak 12 " " " " S. 75 W. 26 " "
 Land not described

T. 34 N. R. 10 E 3rd Mer. Indiana.

63

West Along the North Boundary from the cor. of Sec. 2 & 3.
80.00 On said line made cor. to Sections 3 & 4. 150 links
West of a gr. Sec. post. from which
a W. Oak 33 in. diam. bears S. 12 W. 15 links dist. &
an Ironwood " " " S. 54 E. 20 " "

South Between Sec. 3 & 4
14.72 Intersect the line of Shick's Village Reserve 9.40 links
from the N. E. cor. of same where set a Post Cor. to
Sec. 3 & 4 from which
an Elm 11 in. diam. bears S. 40 W. 95 links dist. &
a Do 16 " " " N. 3 E. 139 " "
This post in the North Margin of a small Prairie

West Along the North Boundary from the cor. of Sec. 3 & 4
80.00 On the North Boundary. Set a Post cor. to Sec. 4 & 5
from which a
Maple 12 in. diam. bears S. 16 E. 21 links dist. & an
Elm 12 " " " N. 57 W. 14 " "
This Corner is 1.50 links West of a gr. Section

South Between Sec. 4 & 5
From the corner on North Boundary
18.30 An H. Oak 40 in. diam.
43.90 Intersect the line of Reserve. where set post
Cor. to Sec. 4 & 5 from which
a Hickory 28 in. diam. bears S. 83 W. 18 links dist. &
an Ash 14 " " " N. 32 E. 43 " "
Humber. Oak & Hickory. Undergr. Oak & Hickory
Wazle. Brins &c.

West Along the North Boundary from the corner of
Sec. 4 & 5
80.00 On said line made Cor. to Sec. 5 & 6 from which
a W. Oak 45 in. diam. bears S. 43 W. 24 links dist. &
a Do 15 " " " S. 45 E. 77 " "
This Corner is 2.12 links West of gr. Sec. Corner.

T 31 N. R. 10 E 2nd Mer. Indiana.

South From the Cor. of Sec. 5 & 6 on the North Boundary
between Sec. 5 & 6

28. 07. A W. Oak 45 in. diam.

73. 59 Intersect the line of Reserve. where set a Post
cor. to Sec. 5 & 6 from which
a W. Oak 22 in. diam. bears S. 62 E. 54 links dist. &
a Do 20 " " " N. 85 W. 50 " "

Land poor inclining to Barrens

May 16th 1834

North From the Cor. of Sec. 6 & 7
On the Reserve line 4000 thence
East to the line between Sec. 5 & 6

20. 42. From the line of Reserve on the line Between
Sections 5 & 6. Made of Sec Corner. from which
a W. Oak 20 in. diam. bears S. 16 E. 3.54 links dist. &
a Do 12 " " " S. 88 E. 3.96 " "

East Between Sec. 6 & 7

At Cor. On West Boundary. Set a Post cor. to Sec.
6 & 7 from which

a W. Oak 18 in. diam. bears S. 28 E. 25 links dist. &
a Do 20 " " " N. 66 E. 31 " "

Thence East to the line of Reserve

24. 50 Intersect the line of Reserve in Wet Prairie, where
set post Cor. to Sec. 6 & 7 from which
a W. Oak 36 in. diam. bears S. 50 W. 2.55 links dist. &
a B. Oak 18 " " " S. 18 E. 2.06 " "

West Along the North Boundary. from the cor. of Sec.
5 & 6 on the said Boundary to the N.W. cor.
of the Township

77. 93 To the N.W. Cor. of Sec. 6

Surveyed by
John Hendricks
D. S.

In pursuance of a Contract with Mr. J. Williams
Surveyor General of the United States for the States
of Ohio, Indiana and the Territory of Michigan,
bearing date the 27th day of December 1833. I in
good conformity to the laws of the United States
and the instructions of the said surveyor General,
I have surveyed and subdivided into Sections
Township N. 31 North of Range E. 10 East of
the 2nd Mer. Indiana. (excepting the Indian
Reservation in said Township) And I do
further Certify, that the foregoing are the true
and Mainly the original field Notes of the said
survey and subdivisions, executed as aforesaid.
Certified this 17th day of May 1834.

John Hendricks
Dep. Surveyor.

William East)
William Feldon } Chainmen

A J Hendricks Marker in part.

T. 31 N. R. 10 E 2nd Mer. Indiana

Continuation of Fractional Township 31 by C. Carter Jan ^y 16 th 1840	
North	Between Sec ^s 15 & 16
2. 53	Set a gr. Sec post from which a W. Oak 28 in ^d diam. bears S. 11 W. 58 links dist. & a Do 36 " " " N. 80 W. 39 " "
15. 89	A Hickory 10 " "
30. 05	A Beech 10 " "
42. 53	Set a Post Cor. to Sec ^s 9. 10. 15 & 16 from which a Black Oak 26 in ^d diam. bears S. 25 E. 10 lks. dist. & a Hickory 15 " " " N. 28 W. 48 " " Measured from the line of Sec ^s 15 & 16 N. 70 East along the S. E. Boundary 81 ch ^s . & 81 links to the N. E. Corner Land rolling & good Timber. Oak. Ash. Beech Sugar. Walnut Hickory &c.
East	On Random between Sec ^s 10 & 15
38. 00	Enter Mt. Prairie
45. 00	Leave same
63. 00	Enter Willow Swamp
71. 60	Intersect the N & S line 60 links North of Post. West of the gr. Sec post Land rolling & good. Beech Timber; East 1/2 W. Oak Barrens.
West	Connected between Sec ^s 10 & 15
31. 10	Set a gr. Sec post at aver. dist. from which a Maple 9 in ^d diam. bears S. 32 E. 39 links dist. & an Ash 4 " " " S. 75 E. 22 " "
48. 59	A Hackberry 20 in ^d diam.
56. 90	A Hickory 22 " "
71. 60	To Sec. Corner
North	Between Sec ^s 9 & 10
7. 50	Enter Mt. Prairie
16. 00	Leave Prairie

31. 16 An Aspin 15 in. diam.
 40. 00 Set a q. Sec. post. from which
 a W. Oak 20 in. diam. bears N. 83 W. 19 links dist. &
 a Hickory 12 " " " N. 47 E. 60 " "
 63. 00 A Black Oak 30 " "
 76. 50 To Elk River. 50 links wide. Course West.
 80. 00 Set a Post Cor. to Sec. 3. 4 & 110 from which
 a Burr Oak 26 in. diam. bears N. 82 E. 1. 91 links dist. &
 a No other tree convenient.
 Land rolling sandy Barrens. thinly timbered
 with Oak. & Hickory.

June 16th 1839.

- East Between Sec. 3 & 10
 12. 00 To Elk River Course S. W.
 15. 50 Same " " S. W.
 30. 50 Same " " S. W.
 40. 00 Set a q. Sec. post from which
 a W. Oak 20 in. diam. bears S. 10 E. 160 links dist. &
 a Do 18 " " " S. 17 1/2 W. 198 " "
 42. 84 Intersect the N. E. Boundary and set post
 from which a
 W. Oak 30 in. diam. bears S. 23 W. 153 links dist.
 & Blk. Oak 10 in. " " S. 10 E. 172 " "
 All over Prairie
 Measured North 20 West along the N. E. Bound.
 86. 78 to the S. E. Corner.
 Measured from the N. E. corner of the Reserve
 S. 20 E. along the N. E. Boundary 47 chs & 29 lks
 to the N. W. Corner of Chapines Reserve.

- North Between Sec. 3 & 4
 9. 00 Leave Prairie & Swamp
 17. 75 An Ash 22 in. diam.
 33. 16 An Elm 18 " "
 40. 00 Set a q. Sec. post from which

T 31 S. R. 10 E 2nd Mer. Indiana.

a W. Oak 18 in. diam. bears N 48 E 25 links dist &
 a Black Oak 48 " " " N 15 W 66 " "
 55.16 A Hickory 22 " "
 61.00 Enter West Prairie
 77.00 Intersect the N West Boundary and Set a Post
 from which a
 Burr Oak 10 in. diam. bears N 22 W 1.59 links dist
 & a Do 14 " " " N 22 E 2.40 " "
 Measured North 70 E. along the N.W. Boundary
 14.51 to the S. Corner of the Reserve
 Land on South 1/2 except the Prairie. Rolling &
 good. Timber. Birch. Oak. Elm. Ash. Walnut
 Sugar. &c. North 1/2 Oak Barrens.

North Between Sec. 16 & 17
 8.00 Enter West Prairie
 15.00 Leave same
 15.74 A Hickory 15 in. diam.
 31.63 Set a gr. Sec post from which
 a W. Oak 22 in. diam. bears S 68 E 17 links dist &
 a Do 30 " " " N 48 W 42 " "
 38.61 A W. Oak 28 " "
 57.50 A Burr Oak 20 " "
 71.63 Set a Post cor. to Sec. 8. Q. 16 & 17 from which
 a W. Oak 12 in. diam. bears N 68 E 26 links dist &
 a Hickory 12 " " " S 57 W 25 " "
 Land rolling & sandy 2nd rate. Timber. Oak.
 Hickory. &c. Undergth Hazle. &c.

East On Random between Sec. 9 & 16
 79.54 Intersect the N & S line 1.05 links North of Post
 Land West 1/2 mile rolling Oak Barrens
 East 1/2 good 2nd rate. Timber. Birch. Sugar.
 Oak. Ash. Elm. Walnut &c Undergth Spice &c.

West Corrected between Sec. 9 & 16.

- 12.57 A Beech 18 in. diam.
 36.21 A Hickory 14 " "
 39.78 Set a gr. Sec. post at aver. dist. from which
 a W. Oak 30 in. diam. bears N. 58 W. 5 links dist. &
 a Do 30 " " " S. 53 W. 37 " "
 59.01 An Ash ? " "
 79.54 To Sec. Corner.

- North Between Sec. 8 & 9
 17.04 A Red Oak 22 in. diam.
 37.09 A W. Oak 24 " "
 40.00 Set a gr. Sec. post from which
 a Burr Oak 30 in. diam. bears N. 69 W. 11 lks dist. &
 a Do Do 36 " " " S. 51 E. 14 " "
 59.83 A W. Oak 18 " "
 61.00 Enter West Prairie
 80.00 Set a Post Cor. to Sec. 4, 5, 8 & 9 from which
 a W. Oak 22 in. diam. bears N. 89 W. 7.71 lks. dist. &
 a No other tree convenient
 Land rolling sandy. & poor timber. Oak & Hickory
 not much Underg.

January 17th 1840

- East On Random between Sec. 4 & 9
 26.00 To East River 1.00 links wide. Course ^N West.
 79.23 Intersect the N & S line 87 links North of Post.
 Land West of the River. all West Prairie
 " East " " " Rolling brushy Barrens
 not much timber

- West Corrected between Sec. 4 & 9
 8.01 A Burr Oak 20 in. diam.
 39.61 Set a gr. Sec. post at aver. dist. from which
 a Black Oak 14 in. diam. bears N. 21 E. 130 links dist. &
 a W. Oak 36 " " " N. 27 W. 17 " "
 79.23 To Sec. Corner.

70

T 31 S. R 10 E 2nd Mer. Indiana.

North Between Secs. 4 & 5.

12.00 Ent River 75 links wide. Course West

14.00 Leave the Prairie.

16.82 An Ash 12 in. diam.

19.50 Enter Mt Prairie

31.00 Leave same

40.00 Set a gp. sec. post from which

a W. Oak 18 in. diam. bears S 88 W. 52 links dist, &

a Do 36 " " " S. 13 W. 34 " "

47.88 Intersect the West Boundary and set a Post
from which a

Hickory 10 in. diam. bears S 84 W. 2 links dist, & a

Do 24 " " " S. 3 E. 22 " "

Measured North 70 East along the NW Bound. &

3.57 to the Post at the exterior intersection of
the same line

Land except the Prairie. Oak Barrens.

North Between Secs. 19 & 20

12.00 Leave the Prairie

12.30 An Ash 12 in. diam.

20.00 Enter Mt Prairie

25.50 Set a Post Cor. to Secs. 17, 18, 19 & 20 from which

a W. Oak 36 in. diam. bears S. 2 W. 6.47 links dist, &

a Do 24 " " " S. 45 W. 7.83 " "

The little strip of dry land on this line rolling
W. Oak Barrens. Sandy & no Undergth

East On Random between Secs. 17 & 20

25.50 Leave Prairie

29.00 Enter Mt Prairie

32.00 Leave same

40.00 Enter Mt Prairie

56.40 Intersect the line 1.22 links North of Post.

Nearly all Mt Prairie.

C. M. P.

T. 31 N. R. 10 E. 2nd Mer. Indiana

71

West Corrected between Sec. 17 & 20
 16.40 Set a g. Sec post as a cor. dist. from which
 a W. Oak 24 in. diam. bears N. 51° W. 75 links dist. &
 a Co. 22 " " " N. 17° W. 61 " "
 50.40 To Sec. corner

West Between Sec. 18 & 19. Random
 16.00 Leave the Prairie
 75.32 Intersect the West boundary 25 links North
 of the Post. from which
 a W. Oak 30 in. diam. bears S. 64° E. 118 links dist. &
 a Co. 20 " " " N. 53° E. 1.54 " "
 Land selling White Oak Barrens and good
 for that kind of Land.

East Corrected between Sec. 18 & 19
 19.47 a W. Oak 18 in. diam.
 30.32 Set a g. Sec post in true line from which
 a W. Oak 36 in. diam. bears S. 63° E. 21 links dist. &
 a Co. 36 " " " N. 33° W. 32 " "
 44.12 a W. Oak 36 " "
 70.32 To Sec. corner.

North Between Sec. 17 & 18
 14.00 Leave Prairie
 17.33 a W. Oak 15 in. diam.
 40.00 Set a g. Sec. post from which
 a Hickory 18 in. diam. bears S. 28° E. 39 links dist. &
 a Co. 18 " " " N. 21° W. 13 " "
 50.09 a Black Oak 30 in. diam.
 60.00 Enter West Prairie
 72.00 Leave same
 74.82 a W. Oak 18 in. diam.
 80.00 Set a Post cor. to Sec. 7. 8. 17 & 18 from which
 a W. Oak 22 in. diam. bears S. 21° E. 118 links dist. &
 a Hickory 5 " " " N. 4° E. 119 " "

N. 6

T 31 A R 10 E 2nd Mer. Indiana.

Land rolling & undulate; Timber Oak & Hickory.
Not much undergrowth.

January 18th 1840

East On Random between Sec. 8 & 17
80 14 Intersect the N & S line 1.30 links North of Post.
Land rolling & undulate. Timber. Oak. Hickory &c.
Undergrowth. Hazle &c.

West Corrected between Sec. 8 & 17
10. 07 A W. Oak 24 in. diam.
32. 28 A W. Oak 40 " "
40. 07 Set a gp. Sec post at aver. dist. from which
a W. Oak 28 in. diam. bears N. 71 E. 81 links dist. &
a Hickory 18 " " " N. 15 W. 39 " "
55. 44 A Do 15 " "
70. 26 A Black Oak 8 in. diam.
80 14 To Sec. Corner

West Random between Sec. 7 & 18
71. 00 To Eel River 1.00 links wide. Course S W.
75. 08 Intersect the West Boundary 34 links North
of the Post from which
an Ash 14 in. diam. bears N. 47 E. 25 links dist. &
a Do 4 " " " S. 52 E. 18 " "
Land rolling undulate. thinly timbered with
Oak & Hickory. Thick Undergrowth of Hazle.

East Corrected between Sec. 7 & 18
35. 08 Set a gp. Sec post from which
a W. Oak 20 in. diam. bears N 2 E 43 links dist. &
a Do 28 " " " N 78 E 99 " "
76. 08 To Sec. Corner

North Between Sec. 7 & 8
8. 28 A Hickory 15 in. diam.

T. 31 N. R. 10 E 2nd Mer. Indiana.

73

- 32.03 A W. Oak 22 in. diam.
 40.00 Set a g. Sec post. from which
 a W. Oak 24 in. diam. bears N. 7 E. 64 links dist. &
 a Do 16 " " " S. 12 W. 138 " "
 43.28 A W. Oak 24 " "
 50.50 Enter Mt Prairie
 58.00 To Eel River 75 links wide, Course S. W.
 75.00 Leave Prairie
 77.91 A W. Oak 22 in. diam.
 80.00 Set a Post cor. to Sec. 2. S. 7. 45 from which
 a W. Oak 24 in. diam. bears N 36 E 9 links dist. &
 a Do 20 " " " S. 30 W. 7 " "
 Land except the Prairie Rolling. Oak & Hickory
 Barrens. not much Underg #.

- East On Random between Sec. 5 & 8
 13.50 Enter Mt Prairie
 35.00 Leave Prairie
 43.50 To Eel River 70 links wide. Course S. W.
 54.00 Enter Mt Prairie
 55.00 A Point of Timber from the South.
 72.00 Enter Mt Prairie
 79.90 Intersect the 1 & 8 line 127 links South of Post.
 Land all level. not and poor

- West Corrected between Sec. 5 & 8
 15.90 A Burr Oak 30 in. diam.
 36.24 An Ash 12 " "
 39.95 Set a g. Sec post at aver. dist. from which
 an Ash 16 in. diam. bears N. 44 E. 6 links dist. &
 an Elm 6 " " " S. 27 W. 10 " "
 79.90 To Sec. Corner

- West Between Sec. 5 & 7
 16.00 Enter Mt Prairie
 18.00 Leave same

19. 97 a W. Oak 12 in. diam.
 35. 00 Enter Mt Prairie
 40. 00 Point of Timber from North
 Set a gr Sec post from which
 a W. Oak 22 in. diam. bears S. 58 1/2 W. 37 links dist. 8.
 a Do 24 " " " " S. 30 W. 53 " "
 51. 70 Intersect the NW Boundary, and Set a Post
 from which a
 W. Oak 28 in. diam. bears S. 53 1/2 W. 267 links dist. 8
 a Blk Oak 18 " " " S. 10 W. 236 " "
 Intersect N. 11 E. 31 Links from the exterior
 intersection of the same line.

North Between Sec. 5 & 6

18. 51 Intersect the NW Boundary 44 links West
 of the Post, at the exterior intersection of
 the same line.
 Set Post in Boundary, from which
 a W. Oak 36 in. diam. bears N. 55 W. 67 links dist.
 a Do 30 " " " " S. 6 W. 30 " "
 January 19th 1840.

Surveyed by
 G. Carter D. S.

I Certify that in pursuance of a Contract with
E. S. Haines Esq: Surveyor General of the United
States, for the States of Ohio, Indiana and
Michigan, bearing date the 20th day of Apr.
1839 and in strict conformity to the laws
of the United States and the instructions of
said Surveyor General, I have surveyed and
subdivided into Sections, Township (Tract) No.
31 North of Range No 10 East of the 2nd
Mer. in the State of Indiana; and I further
Certify that the foregoing are the true and
Original Field Notes of the said survey and
subdivisions executed as aforesaid.

Certified this 19th day of January, 1840.
C. Carter D. S.

E. Farquhar.
William Miller. } Chairmen.

I Certify that the foregoing transcript of
the Field Notes of Township No 31 North of Range
No 10 East of the 2nd Mer. in the State of Ind.,
has been compared with the original Notes in
this Office, and found to be correct.

Surveyor General's Office

Cincinnati July 15th 1844.

William Johnston
Sur. Genl.